

DAFTAR PUSTAKA

- Altuhaish, A. A. F. 2014. The improvement of wheat (*Triticum aestivum* L.) adaptability to tropical environment by putrescine application [Disertasi]. Institut Pertanian Bogor. Bogor (ID).
- Angio, M. H. 2016. Respon Fisiologi dan Morfologi Tanaman Terung (*Solanum melongena*) Terhadap Cekaman Suhu Tinggi. Tesis. Sekolah Pascasarjana Institut Pertanian Bogor. Bogor.
- Asseng, S., Foster, I. and Turner, N. C. 2010. The impact of temperature variability on wheat yields. *Global Change Biology*. Vol. 17, Issue 2, 997-1012.
- Cooper, H.D., C. Spillene, and T. Hodgken. 2001. Broadening the genetic base of crops: an overview. Pp. 1-23. H.D. Cooper, C. Spillene, and Hodgken (eds.). Broadening the genetic base of crops. IGRI, FAO, CABI Publishing. UK.
- Badan Meteorologi, Klimatologi dan Geofisika (BMKG). 2015. Publikasi Data Iklim Indonesia selama 40 tahun terakhir. Jakarta (ID).
- BAPEDAL. 2014. Buku Data Status Lingkungan Hidup Daerah (SLHD) Aceh. Pemerintahan Aceh. Provinsi Aceh.
- Berthaud, S., J.C. Clement, L. Emperaire, D. Louette, F. Pinton, J. Sanow, and S. Second. 2001. The role of local-level geneflow in enhancing and maintaining genetic diversity. H.D. Cooper, C. Spillene, and Hodgken (eds.). Broadening the Genetic Base of Crops. IGRI, FAO, CABI Publishing. UK.
- Bhuyan, N., Basanta, N., Borah, K. and Sarma, R. N. 2007. Genetic diversity analysis in traditional lowland rice (*Oryza sativa* L.) of Assam using RAPD and ISSR markers Current Science. 93 (7): 967-972.
- Dong W, Chen J, Wang L, Tian Y, Zhang B, Lai Y, Meng Y, Qian C, Guo J. 2014. Impacts of nighttime post-anthesis warming on rice productivity and grain quality in East China. *The Crop Journal*. 2:63-69.
- Effendi, Yoniar. 2008. Kajian Resistensi Beberapa Varietas Padi Gogo (*Oryza sativa* L.) Terhadap Cekaman Kekeringan. Tesis. Surakarta. Universitas Sebelas Maret.
- Frey, F., Presterl, T., Lecoq, P., Orlik, A. and Stich, B. 2016. First steps to understand heat tolerance of temperate maize at adult stage: identification of QTL across multiple environments with connected segregating population. *J. Plant Breed.* 129:945-961
- Garside, A. L., Lawn, and Byth, D. E. 1992. Irrigation management of soybean in a semi-arid tropical environment: 3. Response to saturated soil culture. *Aust. J. Agric. Rest.* 43 (5):1033-1049
- Ghazi, N. and Al-karaki. 2012. Phenological Development-Yield Relationship in Durum Wheat Cultivars under Late-Season High-Temperature Stress in a Semiarid Environment. *ISRN Agronomy* Vol. 2012, 7 pages.
- Hairmansis, A., Yullianida., Supartopo. dan Suwarno. 2016. Pemuliaan Padi Gogo Adaptif pada Lahan Kering. Balai Besar Penelitian Tanaman Padi. Subang. Jawa Barat. *Iptek Tanaman Pangan* Vol.11, No.2, 2016.

- Harjadi, M. M. S. S. 1996. Pengantar agronomi. Gramedia Pustaka Utama. Jakarta. 197 hal.
- Husana, Y. 2010. Pengaruh Penggunaan Jarak Tanam Terhadap Pertumbuhan dan Produksi Padi Sawah (*Oryza sativa* L.) Varietas IR 42 dengan Metode SRI (System of Rice Intensification). Jurnal. Jurusan Agroteknologi. Fakultas Pertanian. Universitas Riau. Vol(9):2-7.
- Haque, M. Z., Hasan, M. M., Rajib, M. M. R. and Hasan, M. M. 2009. Identification of cultivable heat tolerant wheat genotypes suitable for Patuakhali distric in Bangladesh. *J. Bangladesh Agril. Univ.* 7(2):241-246.
- Hawker, J. S. and Jenner, D. F. 1993. High Temperature Affects the Activity of Enzymes in Committed Pathways of Starch Synthesis in Developing Wheat Endosperm. *Aust. J. Plant Physiol.* 20:197-209.
- Hawkes, J.G., N. Maxted, and B.V. Ford-Lloyd. 2000. The ex situ conservation of plant genetic resources. Kluwer Academic Publishers.london. 250.
- Inaba, K. and Sato, K. 1976. High Temperature Injury of Ripening in Rice Plant. VI. Enzymes Activities of Kernel as Influenced by High Temperature. *Proc. Crop. Sci. Soc. Jpn.* 45:162:176.
- Intergovernmental Panel on Climate Change (IPCC). 2013. Climate Change 2013: Synthesis Report. Contribution of Working Groups to the Fourth Assessment Report of the Intergovernmental Panel of Climate Change. New York (USA): Cambridge Pr.
- Kobata, T. and Uemuki, N. 2004. High Temperatures During The Grain-Filling Period Do Not Reduce The Potential Grain dry Matter Increase Of Rice. *Agron. J.* 96:406-414.
- Matsui, T., Nomura, O. S., Ziska, L. H. and Horie, T. 1997. Effect of Hight Temperature and CO2 Concentration on Spikelet Sterility in Indica Rice. *Field Crops Res.* 51:213-219.
- Matsui, T., Omasa, K. and Horie, T. 2000. High Temperatures at flowering inhibit swelling of pollen grains, a driving force for thecae dehiscence in rice (*Oryza sativa* L.). *Plant Prod Sci* 3:430-434
- Matsui, T., Omasa, K. and Horie, T. 2001. The difference in sterility due to high temperature during the flowering period among japonica-rice varieties. *Plant Prod sci* 4:90-93.
- Matsui T, Kagata H. 2003. Characteristics of floral organs related to reliable self pollination in rice (*Oryza sativa* L). *Annals of Bot.* 91:473-477.
- Morita, S. 2008. Prospect For Developing Measures to Prevent High-Temperature Damage to Rice Grain Ripening. *Jpn. J. Crop.Sci.* 77(1): 1-12.
- Mohammed AR, Tarpley R. 2010. Effects of high night temperature and spikelet position on yield-related parameters of rice (*Oryza sativa* L.) plants. *Europ J Agron.* 33:117-123.
- Muller, F. and Rieu, I. 2016. Acclimation to high temperature during pollen development. *Plant Reprod.* 29: 107-118.
- Norsalis. E. 2011. Padi Gogo dan Padi Sawah. IPB, Bogor.
- Peng, S., Huang, J., Sheehy, J. E., Laza, R. C., Visperas, R. M., Zhong, X., Centeno, G. S., Kush, G. S. and Cassman, K. G. 2004. Rice yields decline with higer night temperature from global warming. *Proceedings of The National Academy of Sciences.* (USA). 101:9971-9975.

- Perdana. S. A. 2011. Budidaya Padi Gogo. Jurnal ilmiah. Universitas Gadjah Muda, Yogyakarta.
- Prasetyo, Y. T. 2003. Bertanam padi gogo tanpa olah tanag. Penebar Swadaya. Jakarta.
- Purwono dan Purnamawati, 2007. *Budidaya 8 Jenis Tanaman Pangan Unggul*. Penebar Swadaya, Bogor.
- Ridha, R. 2011. Viabilitas Polen dan Performansi Antar Kelompok Varietas Padi (*Oryza sativa* L.) Introduksi Serta Hubungannya Dengan Pembentukan Biji. Skripsi. Banda Aceh: Universitas Syiah Kuala.
- Reynolds MP, Balota M, Delgado MIB, Aman I, Fisher RA. 1994. Physiological and morphological traits associated with spring wheat yield under hot irrigated conditions. *Plant Physiol.* 21. 717–730.
- Rosielle, A. A. and Hamblin, J. 1986. Light temperature and anthocyanin production. *Plant Physiol.* 81:922-934.
- Sadimantara, G. R. dan Muhidin. 2012. Daya Hasil Beberapa Kultivar Padi Gogo Lokal Asal Sulawesi Tenggara pada Cekaman Kekeringan. Fakultas Pertanian Universitas Haluoleo. Kendiri. *Jurnal Agroteknos* Vol.2 No.3, 2012.hal 121-125.
- Sastrosupadi, A. 2007. Rancangan Percobaan Praktis Bidang Pertanian. Kanisius. Yogyakarta.
- Shah, F., Huang, J., Cui, K., Nie, L., Shah, T., Chen, C. and Wang, K. 2011. Impact of high temperature stress on rice plant and its traits related to tolerance. *Journal Of Agricultural Science.* Hal 1-12. doi: 10.1017/S0021859611000360.
- Shpiler, L. and Blum, A. 1990. Heat Tolerance for yield and its components in different wheat cultivars. *Euphytica*, Vol. 51. No.3 :257-263.
- Sikder, S., Ahmed, J. U. and Hossain, T. 2001. Heat Tolerance and Relative Yield Performance of Wheat Varieties Under Late Seeded Conditions. *Indian J. Agric. Res.* 35 (3): 141-148, 200.
- Silitonga, T. S. 1998. Pelestarian dan pemanfaatan plasma nutfah padi di Indonesia. *Warta Plasma Nutfah Indonesia* (5):6-8.
- Sitairesmi, T., Wening, R. H., Ami., Rakhmi., Yunani. N., Susanto, U. 2013. Pemanfaatan Plasma Nutfah Padi Varietas Lokal dalam Perakitan Varietas Unggul. *Iptek Tanaman Pangan* Vol. 8 No. 1: 22-30
- Suprihatno, B., Derajat, A. A., Satoto., Baehaki, S. E., Suprihanto., Setyono, A., Indrasari, S. D., Wardana, I. P. dan Sembiring, H. 2010. Deskripsi Varietas Padi. Bali Besar Penelitian Tanaman Padi, Sukamandi.
- Supriyanto, B. 2013. Pengaruh Cekaman Kekeringan Terhadap Pertumbuhan dan Hasil Padi Gogo Lokal Kultivar Jambu. *Jurnal AGRIFOR*, Vol .12. No.1 :77-82
- Spoor, W. and N.W. Simmonds. 2001. Base-broadening introgression and incorporation. Pp. 71-79. H.D.Cooper, C. Spillene, and Hodgken (Eds). *Broadening the genetic base of crops*. IGRI, FAO, CABI Publishing. UK.
- Tanaka KR, Miyazaki OM, Ishibashi Y, Yuasa T, Iwaya-Inoue M. 2009. Changes in NMR relaxation of rice grains, kernel quality and physicochemical properties in response to a high temperature after flowering in heat-sensitive rice cultivars. *Plant Prod Sci.* 12:185-192.

- Tang, R. S., Zheng, J. C. and Zhang, D. D. 2006. The effects of high temperature on pollen vitality and seed setting of different rice varieties. *Jiangsu J. Agric. Sci.* 22:369-373.
- Tschirley J. 2007. Climate Change adaptation : Planning and practices. Power Point Keynote Presentation of FAO Environment. Climate Change. Bioenergy Division. 10-12 September 2007. Rome.
- Wahid, A., Gelani, S., Asraf, M. and Foolad, M. R. 2007. Heat tolerance in plants: an overview. *Environ. Exp. Bot.* 61:199-223.
- Wassmann R, Jagadish SVK, Heuer S, Ismail A, Redona E, Serraj R, Singh RK, Howell G, Pathak H, Sumfleth K. 2009. Climate change affecting rice production: the physiological and agronomic basis for possible adaptation strategies. *Adv Agron.* 101:59-122.
- Weerakoon, W. M. W., Maruyama, A. and Ohba, K. 2008. Impact of humidity on temperature induced grain sterility in rice (*Oryza sativa* L.). *J. Agron. And Crop Sci.* 194:135-140.
- Ying CY, Hua D, Nian YL, Qing WZ, Jun LL, Chang YJ. 2009. Effects of high temperature during heading and early filling on grain yield and physiological characteristics in Indica rice. *Acta Agron Sin.* 35(3):512-521.
- Zakaria, S., Matsuda, T. and Nitta, Y. 2002. Effect of high temperature at ripening stage on the reserve accumulation in seed in some rice cultivars. *Plant Prod. Science.* 4:160-168.
- Zeng, Y. X., Chao, Y. H., Yong, G. L., Jin-Qi. And Xiang, D. L. 2008. Abnormalities occurring during female gametophyte development result in the diversity of abnormal embryo sacs and leads to abnormal fertilization in indica/japonica hybrids in rice. *J. Integr. Plant biology.* 50:941-950.